

[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)**Scholar** Results 1 - 4 of 4 for **blocks multiplexer input output matlab "composite signals"**. (0.08 seconds)**All Results**

Tip: Try removing quotes from your search to get more results.

J CrawfordColor clamping

AP Bradley, D Yip, AJ Dorrell - US Patent 7,151,863, 2006 - freepatentsonline.com
... embodiment, a boxcar filter is applied to a **block** of k ... 1405 control the operation of a 3-to-1 **multiplexer** 1407, as ... For 4:2:0 YUV **input** pixels, the size of the ...
[Related Articles](#) - [Cached](#) - [Web Search](#)

OFDM pilot tone tracking to reduce performance loss due to frequency pulling and pushing

JA Crawford - 2003 - freepatentsonline.com
... for each data symbol are coupled to **multiplexer** 404. ... 9, a functional **block** diagram is shown of the pilot ... delay from the arrival of the last **input** sample pair (l ...
[Cached](#) - [Web Search](#)

OFDM pilot tone tracking for wireless LAN - all 7 versions »

JA Crawford - US Patent 6,549,561, 2003 - Google Patents
... rotator rotates the incoming signal by the filtered phase error estimate for subsequent OFDM symbols to reduce the phase noise of the signaling **output** from the ...
[Cited by 1](#) - [Related Articles](#) - [Web Search](#)

EFFICIENT IMPLEMENTATION ON MULTIPROCESSORS: THE PROBLEM OF SIGNAL PROCESSING APPLICATIONS MODELLING - all 3 versions »

L Kwiatkowski, F Boéri, JP Stromboni - ee.ust.hk
... techniques proposed for the identification of state space models have focused on using the singular value decomposition of **block** Hankel **input-output** matrices. ...
[Related Articles](#) - [Cached](#) - [Web Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar All articles - **Recent articles** Results 1 - 10 of about 382 for **blocks multiplexer "composite**

All Results

[E Dahlman](#)
[P Willars](#)
[O Grimlund](#)
[L Ewerbring](#)
[D Chiang](#)

[Tunable, low back-reflection wavelength division multiplexer](#) - all 3 versions

»

WZ Li, F Liu, H Lu - US Patent 6,084,994, 2000 - Google Patents

... and system for providing a wavelength division **multiplexer**. ... 2 depicting a **block** diagram

of one ... around a different wavelength for each of the **composite signals**. ...

Cited by 17 - [Related Articles](#) - [Web Search](#)

[Macrocell with product-term cascade and improved flip flop utilization](#) - all 4 versions »

D Chiang, NW Lee, TY Ho, DA Harrison, N ... - US Patent 5,357,153, 1994 - Google Patents

... FIG. 1 is a **block** diagram of prior art PLD architecture - 5 logical equivalent such as a 2-input AND gate, true. ... 4. In the **multiplexer** 76 **composite signals** CB-CKM ...

Cited by 43 - [Related Articles](#) - [Web Search](#)

[Subband coded digital transmission system using some composite signals](#) - all 4 versions »

GCP Lokhoff, YF Dehery, GJ Stoll, G Theile - US Patent 5,539,829, 1996 - Google Patents

... Lokhoff et al. US005539829A [11] Patent Number: [45] Date of Patent: [54] SUBBAND CODED DIGITAL TRANSMISSION SYSTEM USING SOME **COMPOSITE SIGNALS** ...

Cited by 14 - [Related Articles](#) - [Web Search](#)

[Digital multi-channel demultiplexer/multiplexer \(MCD/M\) architecture](#) - all 6 versions »

TC Butash - US Patent 6,351,451, 2002 - Google Patents

... 7 of a **multiplexer** in accordance with the ... an exemplary embodiment of a functional **block** diagram of ... The real base-50 banded **composite signals** are inputted to ...

Cited by 6 - [Related Articles](#) - [Web Search](#)

[Multi-code compressed mode DS-CDMA systems and methods](#) - all 3 versions »

E Dahlman, PHP Willars, OE Grimlund, LM Ewerbring - US Patent 5,896,368, 1999 - Google Patents

... a number K of so interleaved frame in time **multiplexer** 260 ... 2C, the **composite signals** from ... scrambling (at **blocks** 300 and 302) the composite signal 45 directed to ...

Cited by 36 - [Related Articles](#) - [Web Search](#)

[Code-rate increased compressed mode DS-CDMA systems and methods](#) - all 3 versions »

E Dahlman, PHP Willars, OE Grimlund, LM Ewerbring - US Patent 5,883,899, 1999 - Google Patents

... encoded frame is subjected to **block**-wise bit ... encoded/interleaved frame in time **multiplexer** 260 ... 2C, the **composite signals** from each downlink traffic information ...

Cited by 27 - [Related Articles](#) - [Web Search](#)

[Method and apparatus for sharing transmit shaping filters among phase](#)

[Cited by 5](#) - [Related Articles](#) - [Web Search](#)

[Cited by 4](#) - [Related Articles](#) - [Web Search](#)

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

Cited by 3 - Related Articles - Web Search

Result Page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [Next](#)

©2007 Google



[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)

blocks multiplexer input output matlab "block"

[Advanced Scholar Search](#)
[Scholar Preferences](#)
[Scholar Help](#)

Scholar [All articles](#) - [Recent articles](#) Results 1 - 10 of about 23 for **blocks multiplexer input output**

All Results

[L Benini](#)

[L Pearlstein](#)

[Z Rubin](#)

[G De Micheli](#)

[E Macii](#)

[Introducing SIMULINK into a systems engineering curriculum](#)

TE Dwan, TE Bechert, USN Acad, MD Annapolis - Frontiers in Education Conference, 1993. Twenty-Third Annual ..., 1993 - [ieeexplore.ieee.org](#)

... 1 to create a new scope, automatically named Scope 2. G. To interconnect the **blocks**:
 1. Connect ... 2. Connect **output** port of Signal Gen to **input** port of Mux. ...

Cited by 3 - [Related Articles](#) - [Web Search](#)

[Satellite Systems Design/Simulation Environment: A Systems Approach to Pre-Phase A Design - all 10 versions »](#)

MJ Ferebee Jr, PA Troutman, DW Monell - AIAA, Aerospace Sciences Meeting & Exhibit, 35th, Reno, NV, 1997 - [pdf.aiaa.org](#)

... characteristics of system components with parameter **input** menus. ... Lines connecting the **blocks** represent the flow of ... time plots of any block's input or **output** values. ...

Cited by 2 - [Related Articles](#) - [Web Search](#)

[On-line control of a real system with MATLAB/SIMULINK](#)

A Davari, D Shen - System Theory, 1998. Proceedings of the Thirtieth ..., 1998 - [ieeexplore.ieee.org](#)

... Page 3 On Toole2 ODOD ToWje1 Tod 9 **block** is used for **output** monitoring (one can monitor **input** on the same scope by adding a "MUX" **block** to the ...

[Related Articles](#) - [Web Search](#) - [BL Direct](#)

[A98-37338](#)

DK Hiranaka, G Student, ET Vinande, U Student, DC ... - [pdf.aiaa.org](#)

... **block** is available in the Simulink library of nonlinear **blocks**. ... Passing the proper **input** array is accomplished with a Simulink **multiplexer**. ...

[Related Articles](#) - [Web Search](#)

[A98-37338](#)

A COST, R TIME, FSC GENERATION IN AN - [aerosim.calpoly.edu](#)

... function **block** is available in the Simulink library of nonlinear **blocks**. ... Passing the proper **input** array is accomplished with a Simulink **multiplexer**. ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Asymptotic zero-transition activity encoding for address busses in low-power microprocessor-based ... - all 5 versions »](#)

L Benini, G De Micheli, E Macii, D Sciuto, C ... - VLSI, 1997. Proceedings. Seventh Great Lakes Symposium on, 1997 - [ieeexplore.ieee.org](#)

... of a large set of properly selected **input** patterns when ... of transitions that stream of addresses is **output** on the bus ... scheme is essential, since in cache **block** is a ...

Cited by 149 - [Related Articles](#) - [Web Search](#)

[\[PS\] The McGill Sarcos Robots: System Architecture and Programming Environment - all 3 versions »](#)

M Doyon, LJ CIM - [cim.mcgill.ca](#)

... Mux ... background tasks (eg inputX.[ch], outputX.[ch], traceX.[ch], in the **Matlab** environment ... as dummy since they are only used to define the **block input-output** size ...

[View as HTML](#) - [Web Search](#)

The Development of Vehicular Powertrain System Modeling Methodologies: Philosophy and Implementation - all 2 versions »

ZJ Rubin, SA Munns, JJ Moskwa - 1997 SAE Congress and Exposition, Detroit, SAE paper - simcar.com

... data sets and some **input-output** structure ... of detail inside the engine **block** module reveals ... state_cylinders flow_intake_manifold_out Mux Mux1 4 flow_turb_in Mux ...

[Cited by 26](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#) - [Library Search](#)

Application of the MATLAB-Simulink package in the simulation tests on hydrostatic systems

Z Jędrzykiewicz, J Pluta, J Stojek - actamont.tuke.sk

... 17 presents a general **block** diagram, made after having aggregated ... It illustrates the data loading, **input** signals and taking ... Hydraulic motor M h Load Mux 2 ω h ...

[View as HTML](#) - [Web Search](#)

A novel current controller without overshoot for PWM converters with the varying control bounds

JW Lee - Industrial Electronics, Control, and Instrumentation, 1996., ..., 1996 - ieeexplore.ieee.org

... L+Kp/L) Page 3 (b) Tracking anti-windup controller Clock Mux Freq 135 ... 3. SIMULINK **block diagrams** of feedback controllers **output** follows the **input**. ...

[Related Articles](#) - [Web Search](#)

Google ►

Result Page: 1 2 3 **[Next](#)**

blocks multiplexer input output matlab [Search](#)

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google

	Type	L #	Hits	DBs	Search Text	Time Stamp
1	BRS	L1	1	USPAT	"7151863".pn.	2007/09/17 12:01
2	BRS	L2	503347	USPAT	(composite signals) and (input same output)	2007/09/17 12:02
3	BRS	L3	1836	USPAT	(composite adj signals) and (input same output)	2007/09/17 12:02
4	BRS	L4	419	USPAT	(composite adj signals) and (input same output) and multiplexer	2007/09/17 12:02
5	BRS	L5	316	USPAT	(composite adj signals) and (input same output) and multiplexer and (signals same first same second)	2007/09/17 12:03
6	BRS	L6	77	USPAT	(composite adj signals) and (input same output) and multiplexer and (signals same first same second) and (data same structure)	2007/09/17 12:03
7	BRS	L7	19	USPAT	(composite adj signals) and (input same output) and multiplexer and (signals same first same second) and (data same structure) and (signals same blocks)	2007/09/17 12:05
8	BRS	L8	220	USPAT	(first adj composite adj signal)	2007/09/17 12:06
9	BRS	L9	75	USPAT	(first adj composite adj signal) and (second adj composite adj signals)	2007/09/17 12:06
10	BRS	L10	7	USPAT	(first adj composite adj signal) and (second adj composite adj signals) and (signals same blocks)	2007/09/17 12:06
11	BRS	L11	9	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	(first adj composite adj signal) and (second adj composite adj signals) and (signals same blocks)	2007/09/17 12:21
12	BRS	L12	26	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TDB	703/15.ccls. and @pd>="20070215"	2007/09/17 12:21